



Prepared according to 29CFR 1910.1200.

1	Chemical Product and Company Identification
----------	--

*Driven Racing Oil
13201 Reese Blvd, Suite 200
Huntersville NC 28078
Telephone: 866-611-1820
DrivenRacingOil.com*

Product Trade Name	TRICLOC CLUTCH
CAS Number	Not applicable for mixtures.
Synonyms	None.
Generic Chemical Name	Mixture.
Product Type	Multipurpose.
Preparation/Revision Date	29 October 2013
Transportation Emergency Phone No.	FOR TRANSPORT EMERGENCY call CHEMTREC: (+1) 703-527-3887 (outside the U.S.), 1-800-424-9300 (in the U.S.)
MSDS No.	33755149-4122810-0133311-102103

2	Hazards Identification
----------	-------------------------------

Appearance	Red liquid.
Odor	Mild
Principal Hazards	<ul style="list-style-type: none"> This material has no known health hazards.

See Section 11 for complete health hazard information.

3	Composition/Information on Ingredients
----------	---

Hazardous Ingredients	This material has no known hazards under applicable laws.
------------------------------	---

4	First Aid Measures
----------	---------------------------

Eyes	Flush with water at least 30 minutes. Get medical attention if eye irritation develops or persists.
Skin	Wash with soap and water. Get medical attention if irritation develops. Launder contaminated clothing before reuse.
Inhalation	Remove exposed person to fresh air if adverse effects are observed.
Oral	DO NOT INDUCE VOMITING. Get immediate medical attention.
Additional Information	Note to physician: Treat symptomatically.

5	Fire Fighting Measures
----------	-------------------------------

Flash Point	176 °C, 348.8 °F PMCC (Typical)
Extinguishing Media	CO ₂ , dry chemical, or foam. Water can be used to cool and protect exposed material.
Firefighting Procedures	Recommend wearing self-contained breathing apparatus.
Unusual Fire & Explosion Hazards	See section 10 for additional information.

6	Accidental Release Measures
----------	------------------------------------

Spill Procedures	Personal Protective Equipment must be worn, see Personal Protection Section for PPE recommendations. Ventilate area if spilled in confined space or other poorly ventilated areas. Shut off leak if without risk. Prevent entry into sewers and waterways. Pick up free liquid for recycle and/or disposal. Residual liquid can be absorbed on inert material.
-------------------------	--

7	Handling and Storage
----------	-----------------------------

TRICLOC CLUTCH

Pumping Temperature
Maximum Handling Temperature
Handling Procedures

Maximum Storage Temperature
Storage Procedures
Maximum Loading Temperature

Ambient
70 °C, 158 °F
Keep containers closed when not in use. Wash thoroughly after handling. Launder contaminated clothing before reuse. Empty container contains product residue which may exhibit hazards of product. Dispose of packaging or containers in accordance with local, regional, national and international regulations.
45 °C, 113 °F
See section 10 for incompatible materials.
Not determined.

8	Exposure Controls/Personal Protection
----------	--

Exposure Limits None established
Other Exposure Limits Contains mineral oil. Under conditions which may generate mists, observe the OSHA PEL of 5 mg per cubic meter, ACGIH TWA of 5 mg per cubic meter.
Engineering Controls Use with adequate ventilation.
Gloves Procedures Use nitrile or neoprene gloves.
Eye Protection Safety glasses. If potential for splash or mist exists, wear chemical goggles or faceshield.
Respiratory Protection Use NIOSH/MSHA approved respirator with a combination organic vapor and high efficiency filter cartridge if recommended exposure limit is exceeded. Use self-contained breathing apparatus for entry into confined space, for other poorly ventilated areas and for large spill clean-up sites.
Clothing Recommendation Long sleeve shirt is recommended. Do not wear rings, watches or similar apparel that could entrap the material and cause a skin reaction. Launder contaminated clothing before reuse.

9	Physical and Chemical Properties
----------	---

Flash Point 176 °C, 348.8 °F PMCC (Typical)
Upper Flammable Limit Not determined.
Lower Flammable Limit Not determined.
Autoignition Point Not determined.
Explosion Data Material does not have explosive properties.
Vapor Pressure Not determined.
pH Not determined.
Specific Gravity 0.83 (15.6 °C)
Bulk Density Not determined.
Water Solubility Insoluble.
Percent Solid Not determined.
Percent Volatile Not determined.
Volatile Organic Compound Not determined.
Vapor Density Not determined.
Evaporation Rate Not determined.
Odor Mild
Appearance Red liquid.
Viscosity 94 Centistokes (25 °C)
51 Centistokes (40 °C)
10 Centistokes (100 °C)
Odor Threshold Not determined.
Boiling Point Not determined.
Pour Point Temperature -42 °C, -44 °F
Melting / Freezing Point Not determined.

The above data are typical values and do not constitute a specification. Vapor pressure data are calculated unless otherwise noted.

10	Stability and Reactivity
-----------	---------------------------------

Stability Material is normally stable at moderately elevated temperatures and pressures.
Decomposition Temperature Not determined.
Incompatibility Strong oxidizing agents.
Polymerization Will not occur.
Thermal Decomposition Smoke, carbon monoxide, carbon dioxide, aldehydes and other products of incomplete combustion.
Conditions to Avoid Do not expose to excessive heat, ignition sources, or oxidizing materials.

11	Toxicological Information
-----------	----------------------------------

TRICLOC CLUTCH

-- ACUTE EXPOSURE --

Eye Irritation	Not expected to cause eye irritation. Based on data from components or similar materials.
Skin Irritation	Not expected to be a primary skin irritant. Based on data from components or similar materials. Prolonged or repeated skin contact as from clothing wet with material may cause dermatitis. Symptoms may include redness, edema, drying, and cracking of the skin.
Respiratory Irritation	If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and the upper respiratory tract. Based on data from similar materials.
Dermal Toxicity	The LD50 in rabbits is > 2000 mg/Kg. Based on data from components or similar materials.
Inhalation Toxicity	No data available to indicate product or components may be a toxic inhalation hazard.
Oral Toxicity	The LD50 in rats is > 10,000 mg/Kg. Based on data from components or similar materials. Material can be aspirated into the lungs during the act of swallowing or vomiting. This could result in pulmonary edema and chemical pneumonitis.
Dermal Sensitization	No data available to indicate product or components may be a skin sensitizer.
Inhalation Sensitization	No data available to indicate product or components may be respiratory sensitizers.

-- CHRONIC EXPOSURE --

Chronic Toxicity	No data available to indicate product or components present at greater than 1% are chronic health hazards.
Carcinogenicity	This product contains mineral oils which are considered to be severely refined and not considered to be carcinogenic under IARC. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP 346 test.
Mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Reproductive Toxicity	No data available to indicate either product or components present at greater than 0.1% that may cause reproductive toxicity.
Teratogenicity	No data available to indicate product or any components contained at greater than 0.1% may cause birth defects.

-- ADDITIONAL INFORMATION --

Other	No other health hazards known.
--------------	--------------------------------

12	Ecological Information
-----------	-------------------------------

-- ENVIRONMENTAL TOXICITY --

Freshwater Fish Toxicity	The acute LC50 is 100 - 1000 mg/L based on component data.
Freshwater Invertebrates Toxicity	Chronic effects expected at 10 - 100 mg/L based on component data.
Algal Inhibition	Not determined.
Saltwater Fish Toxicity	Not determined.
Saltwater Invertebrates Toxicity	Not determined.
Bacteria Toxicity	Not determined.
Miscellaneous Toxicity	Not determined.

-- ENVIRONMENTAL FATE --

Biodegradation	At least 25% of the components in this product show limited biodegradation based on OECD 301-type test data. At least 25% of the components in this product show limited biodegradation based on OECD 302-type test data.
Bioaccumulation	25% or greater of the components potentially bioconcentrate, based on octanol/water coefficients.
Soil Mobility	Not determined.

13	Disposal Considerations
-----------	--------------------------------

Waste Disposal	This material, if discarded, is not a hazardous waste under RCRA Regulation 40 CFR 261. Treatment, storage, transportation, and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations.
-----------------------	--

14	Transport Information
-----------	------------------------------

ICAO/IATA I	Not regulated.
ICAO/IATA II	Not regulated.
IMDG	Not regulated.
IMDG EMS Fire	Not applicable.
IMDG EMS Spill	Not applicable.
IMDG MFA G	Not applicable.
MARPOL Annex II	Not determined.
USCG Compatibility	Not determined.
U.S. DOT Bulk	Not regulated.
DOT NAERG	Not applicable.
U.S. DOT (Intermediate)	Not regulated.
U.S. DOT Intermediate NAERG	Not applicable.
U.S. DOT Non-Bulk	Not regulated.
U.S. DOT Non-Bulk NAERG	Not applicable.

TRICLOC CLUTCH

Canada	Not regulated.
Mexico	Not regulated.
Bulk Quantity	85000 KG, 187391 lbs.
Intermediate Quantity	11000 KG, 24251 lbs.
Non-Bulk Quantity	400 KG, 882 lbs.

Review classification requirements before shipping materials at elevated temperatures.

15	Regulatory Information
----	-------------------------------

-- Global Chemical Inventories --

USA	All components of this material are on the US TSCA Inventory or are exempt.
Other TSCA Reg.	None known.
EU	To obtain information on the REACH compliance status of this product, please visit Lubrizol.com/REACH , or e-mail us at REACH_MSDS_INQUIRIES@Lubrizol.com
Japan	All components are in compliance with the Chemical Substances Control Law of Japan.
Australia	All components are in compliance with chemical notification requirements in Australia.
New Zealand	May require notification before sale under New Zealand regulations.
Canada	All components are in compliance with the Canadian Environmental Protection Act and are present on the Domestic Substances List.
Switzerland	All components are in compliance with the Environmentally Hazardous Substances Ordinance in Switzerland.
Korea	All components are in compliance in Korea.
Philippines	All components are in compliance with the Philippines Toxic Substances and Hazardous and Nuclear Wastes Control Act of 1990 (R.A. 6969).
China	All components of this product are listed on the Inventory of Existing Chemical Substances in China.
Taiwan	All components of this product are listed on the Taiwan inventory.

-- Other U.S. Federal Regulations --

SARA Ext. Haz. Subst.	This product does not contain greater than 1.0% of any chemical substance on the SARA Extremely Hazardous Substances list.								
SARA Section 313	This product does not contain greater than 1.0% (greater than 0.1% for carcinogenic substance) of any chemical substances listed under SARA Section 313.								
SARA 311 Classifications	<table border="1"><tr><td>Acute Hazard</td><td>No</td></tr><tr><td>Chronic Hazard</td><td>No</td></tr><tr><td>Fire Hazard</td><td>No</td></tr><tr><td>Reactivity Hazard</td><td>No</td></tr></table>	Acute Hazard	No	Chronic Hazard	No	Fire Hazard	No	Reactivity Hazard	No
Acute Hazard	No								
Chronic Hazard	No								
Fire Hazard	No								
Reactivity Hazard	No								
CERCLA Hazardous Substances	None known.								

-- State Regulations --

Cal. Prop. 65	This product contains the following chemical(s) known to the state of California to cause cancer and/or birth defects based on maximum impurity levels of components: < 0.01 ppm lead < 0.01 ppm C.I. Solvent Yellow 14, CAS no. 842-07-9 < 0.01 ppm Solvent Yellow 3, CAS no. 97-56-3 < 0.01 ppm arsenic < 0.5 ppm Benzene, CAS no. 71-43-2 2 ppm Sulfur dioxide, CAS no. 7446-09-5 0.001% Ethyl benzene, CAS no. 100-41-4 0.057% Toluene, CAS no. 108-88-3
---------------	--

-- Product Registrations --

U.S. Fuel Registration	Not applicable.
Finnish Registration Number	Not Registered
Swedish Registration Number	Not Registered
Norwegian Registration Number	Not Registered
Danish Registration Number	Not Registered
Swiss Registration Number	Not Registered
Italian Registration Number	Not Registered

-- Other / International --

Miscellaneous Regulatory Information	Not determined.
--------------------------------------	-----------------

16	Other Information
----	--------------------------

US NFPA Codes	<table border="1"><thead><tr><th>Health</th><th>Fire</th><th>Reactivity</th><th>Special</th></tr></thead><tbody><tr><td>1</td><td>1</td><td>0</td><td>N/E</td></tr></tbody></table>	Health	Fire	Reactivity	Special	1	1	0	N/E
Health	Fire	Reactivity	Special						
1	1	0	N/E						

(N/E) - None established

HMIS Codes	<table border="1"><thead><tr><th>Health</th><th>Fire</th><th>Reactivity</th></tr></thead></table>	Health	Fire	Reactivity
Health	Fire	Reactivity		

TRICLOC CLUTCH

0	1	0
---	---	---

Precautionary Labels

- This material has no known health hazards.

Revision Indicators

This MSDS has no revisions since 29 October 2013

Users Responsibility/Disclaimer of Liability: The information set forth herein is based on our current knowledge, and is intended to describe the product solely with respect to health, safety and the environment. As such, it must not be interpreted as a guarantee of any specific property of the product. As a result, the customer shall be solely responsible for deciding whether said information is suitable and beneficial.